

Coursework 2

This coursework is worth 10% and is due on 8 November at 18:00. You are asked to implement the Sulzmann & Lu lexer for the WHILE language. You can do the implementation in any programming language you like, but you need to submit the source code with which you answered the questions, otherwise a mark of 0% will be awarded. You can submit your answers in a txt-file or as pdf. Code submit as code. Please package everything in a zip-file that creates a directory with the name YournameYourfamilyname on my end. Thanks!

Disclaimer

It should be understood that the work you submit represents your own effort. You have not copied from anyone else. An exception is the Scala code from KEATS and the code I showed during the lectures, which you can both freely use. You can also use your own code from the CW 1.

Question 1

To implement a lexer for the WHILE language, you first need to design the appropriate regular expressions for the following eleven syntactic entities:

1. keywords are

`while, if, then, else, do, for, to, true, false, read, write, skip`

2. operators are: `+, -, *, %, /, ==, !=, >, <, <=, >=, :=, &&, ||`

3. letters are uppercase and lowercase

4. symbols are letters plus the characters `., _, >, <, =, ;, , \` and `:`

5. strings are enclosed by `"..."` and consisting of symbols, whitespaces and digits

6. parentheses are `(, {,)` and `}`

7. there are semicolons `;`

8. whitespaces are either `" "` (one or more) or `\n` or `\t`

9. identifiers are letters followed by underscores `_`, letters or digits

10. numbers are `0, 1, ...` and so on; give a regular expression that can recognise `0`, but not numbers with leading zeroes, such as `001`

11. comments start with `//` and contain symbols, spaces and digits until the end of the line

You can use the basic regular expressions

$\mathbf{0}$, $\mathbf{1}$, c , $r_1 + r_2$, $r_1 \cdot r_2$, r^*

but also the following extended regular expressions

$[c_1, c_2, \dots, c_n]$	a set of characters
r^+	one or more times r
$r^?$	optional r
$r^{\{n\}}$	n-times r

Later on you will also need the record regular expression:

$REC(x : r)$ record regular expression

Try to design your regular expressions to be as small as possible. For example you should use character sets for identifiers and numbers. Feel free to use the general character constructor *CFUN* introduced in CW 1.

Question 2

Implement the Sulzmann & Lu lexer from the lectures. For this you need to implement the functions *nullable* and *der* (you can use your code from CW 1), as well as *mkeys* and *inj*. These functions need to be appropriately extended for the extended regular expressions from Q1. Write down the clauses for

$mkeys([c_1, c_2, \dots, c_n])$	$\stackrel{\text{def}}{=} ?$
$mkeys(r^+)$	$\stackrel{\text{def}}{=} ?$
$mkeys(r^?)$	$\stackrel{\text{def}}{=} ?$
$mkeys(r^{\{n\}})$	$\stackrel{\text{def}}{=} ?$
$inj([c_1, c_2, \dots, c_n]) c \dots$	$\stackrel{\text{def}}{=} ?$
$inj(r^+) c \dots$	$\stackrel{\text{def}}{=} ?$
$inj(r^?) c \dots$	$\stackrel{\text{def}}{=} ?$
$inj(r^{\{n\}}) c \dots$	$\stackrel{\text{def}}{=} ?$

where *inj* takes three arguments: a regular expression, a character and a value. Test your lexer code with at least the two small examples below:

regex:	string:
$a^{\{3\}}$	<i>aaa</i>
$(a + \mathbf{1})^{\{3\}}$	<i>aa</i>

Both strings should be successfully lexed by the respective regular expression, that means the lexer returns in both examples a value.

Also add the record regular expression from the lectures to your lexer and implement a function, say `env`, that returns all assignments from a value (such that you can extract easily the tokens from a value).

Finally give the tokens for your regular expressions from Q1 and the string

```
"read n;"
```

and use your `env` function to give the token sequence.

Question 3

Extend your lexer from Q2 to also simplify regular expressions after each derivation step and rectify the computed values after each injection. Use this lexer to tokenize the programs in Figures 1 – 4. You can find the programs also on KEATS. Give the tokens of these programs where whitespaces are filtered out. Make sure you can tokenise **exactly** these programs.

```
write "Fib";
read n;
minus1 := 0;
minus2 := 1;
while n > 0 do {
    temp := minus2;
    minus2 := minus1 + minus2;
    minus1 := temp;
    n := n - 1
};
write "Result";
write minus2
```

Figure 1: Fibonacci program in the WHILE language.

```

start := 1000;
x := start;
y := start;
z := start;
while 0 < x do {
  while 0 < y do {
    while 0 < z do { z := z - 1 };
    z := start;
    y := y - 1
  };
  y := start;
  x := x - 1
}

```

Figure 2: The three-nested-loops program in the WHILE language. (Usually used for timing measurements.)

```

// Find all factors of a given input number

write "Input n please";
read n;
write "The factors of n are";
f := 2;
while (f < n / 2 + 1) do {
  if ((n / f) * f == n) then { write(f) } else { skip };
  f := f + 1
}

```

Figure 3: A program that calculates factors for numbers in the WHILE language.

```

// Collatz series
//
// needs writing of strings and numbers; comments

bnd := 1;
while bnd < 101 do {
  write bnd;
  write ": ";
  n := bnd;
  cnt := 0;

  while n > 1 do {
    write n;
    write ",";

    if n % 2 == 0
    then n := n / 2
    else n := 3 * n+1;

    cnt := cnt + 1
  };

  write " => ";
  write cnt;
  write "\n";
  bnd := bnd + 1
}

```

Figure 4: A program that calculates the Collatz series for numbers between 1 and 100.