

Automata and Formal Languages (6)

Email: christian.urban at kcl.ac.uk

Office: SI.27 (1st floor Strand Building)

Slides: KEATS (also home work is there)

Regular Languages

While regular expressions are very useful for lexing, there is no regular expression that can recognise the language $a^n b^n$.

$((((())())())$ vs. $((((())())())()$)

So we cannot find out with regular expressions whether parentheses are matched or unmatched.

Hierarchy of Languages

all languages

decidable languages

context sensitive languages

context-free languages

regular languages

Grammars

A (context-free) grammar G consists of

- a finite set of nonterminal symbols (upper case)
- a finite terminal symbols or tokens (lower case)
- a start symbol (which must be a nonterminal)
- a set of rules

$$A \rightarrow \text{rhs}$$

where rhs are sequences involving terminals and nonterminals, including the empty sequence ϵ .

Grammars

A (context-free) grammar G consists of

- a finite set of nonterminal symbols (upper case)
- a finite terminal symbols or tokens (lower case)
- a start symbol (which must be a nonterminal)
- a set of rules

$$A \rightarrow \text{rhs}$$

where rhs are sequences involving terminals and nonterminals, including the empty sequence ϵ .

We also allow rules

$$A \rightarrow \text{rhs}_1 | \text{rhs}_2 | \dots$$

Palindromes

A grammar for palindromes over the alphabet $\{a, b\}$:

$$S \rightarrow \epsilon$$

$$S \rightarrow a \cdot S \cdot a$$

$$S \rightarrow b \cdot S \cdot b$$

Palindromes

A grammar for palindromes over the alphabet $\{a, b\}$:

$$S \rightarrow \epsilon$$

$$S \rightarrow a \cdot S \cdot a$$

$$S \rightarrow b \cdot S \cdot b$$

or

$$S \rightarrow \epsilon \mid a \cdot S \cdot a \mid b \cdot S \cdot b$$

Palindromes

A grammar for palindromes over the alphabet $\{a, b\}$:

$$S \rightarrow \epsilon$$

$$S \rightarrow a \cdot S \cdot a$$

$$S \rightarrow b \cdot S \cdot b$$

or

$$S \rightarrow \epsilon \mid a \cdot S \cdot a \mid b \cdot S \cdot b$$

Can you find the grammar rules for matched parentheses?

Arithmetic Expressions

$$\begin{array}{lcl} E & \rightarrow & \textit{num_token} \\ E & \rightarrow & E \cdot + \cdot E \\ E & \rightarrow & E \cdot - \cdot E \\ E & \rightarrow & E \cdot * \cdot E \\ E & \rightarrow & (\cdot E \cdot) \end{array}$$

Arithmetic Expressions

$$\begin{array}{lcl} E & \rightarrow & \textit{num_token} \\ E & \rightarrow & E \cdot + \cdot E \\ E & \rightarrow & E \cdot - \cdot E \\ E & \rightarrow & E \cdot * \cdot E \\ E & \rightarrow & (\cdot E \cdot) \end{array}$$

1 + 2 * 3 + 4

A CFG Derivation

- ➊ Begin with a string containing only the start symbol, say S
- ➋ Replace any nonterminal X in the string by the right-hand side of some production $X \rightarrow \text{rhs}$
- ➌ Repeat 2 until there are no nonterminals

$$S \rightarrow \dots \rightarrow \dots \rightarrow \dots \rightarrow \dots$$

Example Derivation

$$S \rightarrow \epsilon \mid a \cdot S \cdot a \mid b \cdot S \cdot b$$

$$\begin{aligned} S &\rightarrow aSa \\ &\rightarrow abSba \\ &\rightarrow abaSaba \\ &\rightarrow abaaba \end{aligned}$$

Example Derivation

$$\begin{array}{l} E \rightarrow num_token \\ E \rightarrow E \cdot + \cdot E \\ E \rightarrow E \cdot - \cdot E \\ E \rightarrow E \cdot * \cdot E \\ E \rightarrow (\cdot E \cdot) \end{array}$$

$$\begin{aligned} E &\rightarrow E * E \\ &\rightarrow E + E * E \\ &\rightarrow E + E * E + E \\ &\rightarrow^+ 1 + 2 * 3 + 4 \end{aligned}$$

Example Derivation

$$\begin{array}{lcl} E & \rightarrow & \textit{num_token} \\ E & \rightarrow & E \cdot + \cdot E \\ E & \rightarrow & E \cdot - \cdot E \\ E & \rightarrow & E \cdot * \cdot E \\ E & \rightarrow & (\cdot E \cdot) \end{array}$$

$$\begin{array}{ll} E \rightarrow E * E & E \rightarrow E + E \\ \rightarrow E + E * E & \rightarrow E + E + E \\ \rightarrow E + E * E + E & \rightarrow E + E * E + E \\ \rightarrow^+ 1 + 2 * 3 + 4 & \rightarrow^+ 1 + 2 * 3 + 4 \end{array}$$

Language of a CFG

Let G be a context-free grammar with start symbol S . Then the language $L(G)$ is:

$$\{c_1 \dots c_n \mid \forall i. c_i \in T \wedge S \rightarrow^* c_1 \dots c_n\}$$

Language of a CFG

Let G be a context-free grammar with start symbol S . Then the language $L(G)$ is:

$$\{c_1 \dots c_n \mid \forall i. c_i \in T \wedge S \rightarrow^* c_1 \dots c_n\}$$

- Terminals, because there are no rules for replacing them.
- Once generated, terminals are “permanent”.
- Terminals ought to be tokens of the language (but can also be strings).


Parse Trees

$$E \rightarrow F \mid F \cdot * \cdot F$$

$$F \rightarrow T \mid T \cdot + \cdot T \mid T \cdot - \cdot T$$

$$T \rightarrow \text{num_token} \mid (\cdot E \cdot)$$

$(2 * 3) + (3 + 4)$



Arithmetic Expressions

$$\begin{array}{lcl} E & \rightarrow & \textit{num_token} \\ E & \rightarrow & E \cdot + \cdot E \\ E & \rightarrow & E \cdot - \cdot E \\ E & \rightarrow & E \cdot * \cdot E \\ E & \rightarrow & (\cdot E \cdot) \end{array}$$

Arithmetic Expressions

$$\begin{array}{l} E \rightarrow \textit{num_token} \\ E \rightarrow E \cdot + \cdot E \\ E \rightarrow E \cdot - \cdot E \\ E \rightarrow E \cdot * \cdot E \\ E \rightarrow (\cdot E \cdot) \end{array}$$

A CFG is **left-recursive** if it has a nonterminal E such that $E \rightarrow^+ E \cdot \dots$

Ambiguous Grammars

A grammar is **ambiguous** if there is a string that has at least two different parse trees.

$$\begin{array}{l} E \rightarrow \textit{num_token} \\ E \rightarrow E \cdot + \cdot E \\ E \rightarrow E \cdot - \cdot E \\ E \rightarrow E \cdot * \cdot E \\ E \rightarrow (\cdot E \cdot) \end{array}$$

1 + 2 * 3 + 4

Dangling Else


Another ambiguous grammar:

$$\begin{array}{lcl} E & \rightarrow & \text{if } E \text{ then } E \\ & | & \text{if } E \text{ then } E \text{ else } E \\ & | & \dots \end{array}$$

if a then if x then y else c

Parser Combinators

Parser combinators:



- atomic parsers
- sequencing
- alternative
- semantic action

Atomic parsers, for example, number tokens

$$\text{Num}(123) :: rest \Rightarrow \{(\text{Num}(123), rest)\}$$

- you consume one or more token from the input (stream)
- also works for characters and strings

Alternative parser (code $p \mid q$)

- apply p and also q ; then combine the outputs

$$p(\text{input}) \cup q(\text{input})$$

Sequence parser (code $p \sim q$)

- apply first p producing a set of pairs
- then apply q to the unparsed parts
- then combine the results:
 $((\text{output}_1, \text{output}_2), \text{unparsed part})$

$$\{ ((o_1, o_2), u_2) \mid \\ (o_1, u_1) \in p(\text{input}) \wedge \\ (o_2, u_2) \in q(u_1) \}$$

Function parser (code $p \Rightarrow f$)

- apply p producing a set of pairs
- then apply the function f to each first component

$$\{(f(o_I), u_I) \mid (o_I, u_I) \in p(\text{input})\}$$

Function parser (code $p \Rightarrow f$)

- apply p producing a set of pairs
- then apply the function f to each first component

$$\{(f(o_I), u_I) \mid (o_I, u_I) \in p(\text{input})\}$$

f is the semantic action (“what to do with the parsed input”)

Semantic Actions

Addition

$$T \sim + \sim E \Rightarrow \underbrace{f((x, y), z) \Rightarrow x + z}_{\text{semantic action}}$$

Semantic Actions

Addition

$$T \sim + \sim E \Rightarrow \underbrace{f((x, y), z) \Rightarrow x + z}_{\text{semantic action}}$$

Multiplication

$$F \sim * \sim T \Rightarrow f((x, y), z) \Rightarrow x * z$$

Semantic Actions

Addition

$$T \sim + \sim E \Rightarrow f((x, y), z) \Rightarrow x + z$$

semantic action

Multiplication

$$F \sim * \sim T \Rightarrow f((x, y), z) \Rightarrow x * z$$

Parenthesis

$$(~ E ~) \Rightarrow f((x, y), z) \Rightarrow y$$

Types of Parsers

- **Sequencing:** if p returns results of type T , and q results of type S , then $p \sim q$ returns results of type

$$T \times S$$

Types of Parsers

- **Sequencing:** if p returns results of type T , and q results of type S , then $p \sim q$ returns results of type

$$T \times S$$

- **Alternative:** if p returns results of type T then q must also have results of type T , and $p \parallel q$ returns results of type

$$T$$

Types of Parsers

- **Sequencing:** if p returns results of type T , and q results of type S , then $p \sim q$ returns results of type

$$T \times S$$

- **Alternative:** if p returns results of type T then q must also have results of type T , and $p \parallel q$ returns results of type

$$T$$

- **Semantic Action:** if p returns results of type T and f is a function from T to S , then $p \Rightarrow f$ returns results of type

$$S$$

Input Types of Parsers

- input: token list
- output: set of (output_type, token list)

Input Types of Parsers

- input: token list
- output: set of (output_type, token list)

actually it can be any input type as long as it is a kind of sequence (for example a string)

Scannerless Parsers

- input: **string**
- output: set of (output_type, **string**)

but lexers are better when whitespaces or comments need to be filtered out; then input is a sequence of tokens

Successful Parses

- input: string
- output: set of (output_type, string)

a parse is successful whenever the input has been fully “consumed” (that is the second component is empty)

Abstract Parser Class

```
1 abstract class Parser[I, T] {  
2     def parse(ts: I): Set[(T, I)]  
3  
4     def parse_all(ts: I) : Set[T] =  
5         for ((head, tail) <- parse(ts);  
6               if (tail.isEmpty)) yield head  
7 }
```

```
1  class AltParser[I, T](p: => Parser[I, T],  
2                           q: => Parser[I, T])  
3                               extends Parser[I, T] {  
4      def parse(sb: I) = p.parse(sb) ++ q.parse(sb)  
5  }  
6  
7  class SeqParser[I, T, S](p: => Parser[I, T],  
8                           q: => Parser[I, S])  
9                               extends Parser[I, (T, S)] {  
10     def parse(sb: I) =  
11         for ((head1, tail1) <- p.parse(sb);  
12             (head2, tail2) <- q.parse(tail1))  
13             yield ((head1, head2), tail2)  
14     }  
15  
16  class FunParser[I, T, S](p: => Parser[I, T], f: T => S)  
17                               extends Parser[I, S] {  
18      def parse(sb: I) =  
19          for ((head, tail) <- p.parse(sb))  
20            yield (f(head), tail)  
21    }
```


Two Grammars

Which languages are recognised by the following two grammars?


$$\begin{array}{l} S \rightarrow i \cdot S \cdot S \\ | \quad \epsilon \end{array}$$

$$\begin{array}{l} U \rightarrow i \cdot U \\ | \quad \epsilon \end{array}$$

Ambiguous Grammars



Ambiguous Grammars



While-Language

$\langle Stmt \rangle ::= \text{skip}$

| $\langle Id \rangle := \langle AExp \rangle$

| if $\langle BExp \rangle$ then $\langle Block \rangle$ else $\langle Block \rangle$

| while $\langle BExp \rangle$ do $\langle Block \rangle$

$\langle Stmts \rangle ::= \langle Stmt \rangle ; \langle Stmts \rangle$

| $\langle Stmt \rangle$

$\langle Block \rangle ::= \{ \langle Stmts \rangle \}$

| $\langle Stmt \rangle$

$\langle AExp \rangle ::= \dots$

$\langle BExp \rangle ::= \dots$

An Interpreter

```
{  
    x := 5;  
    y := x * 3;  
    y := x * 4;  
    x := u * 3  
}
```

- the interpreter has to record the value of x before assigning a value to y

An Interpreter

```
{  
    x := 5;  
    y := x * 3;  
    y := x * 4;  
    x := u * 3  
}
```

- the interpreter has to record the value of x before assigning a value to y
- `eval(stmt, env)`