


Handout 3

Let us have a closer look at automata and their relation to regular expressions. This will help us to understand why the regular expression matchers in Python and Ruby are so slow with certain regular expressions.

A *deterministic finite automaton* (DFA), say A , is defined by a four-tuple written $A(Q, q_0, F, \delta)$ where

- Q is a set of states,
- $q_0 \in Q$ is the start state,
- $F \subseteq Q$ are the accepting states, and
- δ is the transition function.

The transition function determines how to “transition” from one state to the next state with respect to a character. We have the assumption that these functions do not need to be defined everywhere: so it can be the case that given a character there is no next state, in which case we need to raise a kind of “raise an exception”. A typical example of a DFA is



The accepting state q_4 is indicated with double circles. It is possible that a DFA has no accepting states at all, or that the starting state is also an accepting state. In the case above the transition function is defined everywhere and can be given as a table as follows:

(q_0, a)	\rightarrow	q_1
(q_0, b)	\rightarrow	q_2
(q_1, a)	\rightarrow	q_4
(q_1, b)	\rightarrow	q_2
(q_2, a)	\rightarrow	q_3
(q_2, b)	\rightarrow	q_2
(q_3, a)	\rightarrow	q_4
(q_3, b)	\rightarrow	q_0
(q_4, a)	\rightarrow	q_4
(q_4, b)	\rightarrow	q_4

We need to define the notion of what language is accepted by an automaton. For this we lift the transition function δ from characters to strings as follows:

$$\begin{aligned}\hat{\delta}(q, "") &\stackrel{\text{def}}{=} q \\ \hat{\delta}(q, c::s) &\stackrel{\text{def}}{=} \hat{\delta}(\delta(q, c), s)\end{aligned}$$


Given a string this means we start in the starting state and take the first character of the string, follow to the next state, then take the second character and so on. Once the string is exhausted and we end up in an accepting state, then this string is accepted. Otherwise it is not accepted. So s in the *language accepted by the automaton* $A(Q, q_0, F, \delta)$ iff

$$\hat{\delta}(q_0, s) \in F$$


While with DFA it will always be clear that given a character what the next state is, it will be useful to relax this restriction. The resulting construction is called a *non-deterministic finite automaton* (NFA) given as a four-tuple $A(Q, q_0, F, \rho)$ where

- Q is a finite set of states
- q_0 is a start state
- F are some accepting states with $F \subseteq Q$, and
- ρ is a transition relation.


Two typical examples of NFAs are




There are a number of points you should note. Every DFA is a NFA, but not vice versa. The ρ in NFAs is a transition *relation* (DFAs have a transition function). The difference between a function and a relation is that a function has always a single output, while a relation gives, roughly speaking, several outputs. Look




Each automaton has a single start state and potentially several accepting states. We obtain a NFA for the regular expression r_1+r_2 by introducing a new starting state and connecting it with an ϵ -transition to the two starting states above, like so



Finally for the $*$ -case we have an automaton for r



and connect its accepting states to a new starting state via ϵ -transitions. This new starting state is also an accepting state, because r^* can also recognise the empty string. This gives the following automaton for r^* :



This construction of a NFA from a regular expression was invented by Ken Thompson in 1968.