

KING'S COLLEGE LONDON

DOCTORAL THESIS

---

# POSIX Regular Expression Matching and Lexing

---

*Author:*

Chengsong TAN

*Supervisor:*

Dr. Christian URBAN

*A thesis submitted in fulfillment of the requirements  
for the degree of Doctor of Philosophy*

*in the*

Software Systems  
Department of Informatics

March 18, 2022



## Declaration of Authorship

I, Chengsong TAN, declare that this thesis titled, "POSIX Regular Expression Matching and Lexing" and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at this University.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this University or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed:

---

Date:

---



*“Thanks to my solid academic training, today I can write hundreds of words on virtually any topic without possessing a shred of information, which is how I got a good job in journalism.”*

Dave Barry



KING'S COLLEGE LONDON

# *Abstract*

Chengsong Tan  
Department of Informatics

Doctor of Philosophy

## **POSIX Regular Expression Matching and Lexing**

by Chengsong TAN

This work is a combination of functional algorithms and formal methods. Regular expression matching and lexing has been widely-used and well-implemented in software industry.

Theoretical results say that regular expression matching should be linear with respect to the input. Under a certain class of regular expressions and inputs though, practical implementations suffer from non-linear or even exponential running time, allowing a ReDoS (regular expression denial-of-service ) attack.

The reason behind is that regex libraries in popular language engines often want to support richer constructs than the most basic regular expressions, and lexing rather than matching is needed for sub-match extraction.

This work aims to address the above vulnerability by the combination of Brzozowski's derivatives and interactive theorem proving. We give an improved version of Sulzmann and Lu's bit-coded algorithm using derivatives, which come with a formal guarantee in terms of correctness and running time as an Isabelle/HOL proof. Then we improve the algorithm with an even stronger version of simplification, and prove a time bound linear to input and cubic to regular expression size using a technique by Antimirov.





## *Acknowledgements*

The acknowledgments and the people to thank go here, don't forget to include your project advisor...



# Contents

<b>Declaration of Authorship</b>	<b>iii</b>
<b>Abstract</b>	<b>vii</b>
<b>Acknowledgements</b>	<b>ix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Why Brzozowski	2
1.2 Background	4
1.3 Existing Practical Approaches	5
1.3.1 DFA Approach	5
1.3.2 NFA Approach	5
1.4 Our Approach	5
1.4.1 Existing Work	5
1.5 What this Template Includes	5
1.5.1 Folders	5
1.5.2 Files	6
1.6 Filling in Your Information in the <code>main.tex</code> File	7
1.7 The <code>main.tex</code> File Explained	7
1.8 Thesis Features and Conventions	8
1.8.1 Printing Format	8
1.8.2 Using US Letter Paper	9
1.8.3 References	9
A Note on <code>bibtex</code>	9
1.8.4 Tables	10
1.8.5 Figures	10
1.8.6 Typesetting mathematics	11
1.9 Sectioning and Subsectioning	12
1.10 In Closing	12
<b>2 Chapter Title Here</b>	<b>13</b>
2.1 Properties of <code>\c</code>	13
2.1.1 <code>\c</code> is not an injection	13
2.1.2 Subsection 1	13
2.1.3 Subsection 2	13
2.2 Main Section 2	14
<b>3 Common Identities In Simplification-Related Functions</b>	<b>15</b>
3.1 Idempotency of <code>simp</code>	15
3.1.1 Syntactic Equivalence Under <code>simp</code>	15
3.1.2 Subsection 2	15
3.2 Main Section 2	15

<b>A Frequently Asked Questions</b>	<b>17</b>
A.1 How do I change the colors of links? . . . . .	17
<b>Bibliography</b>	<b>19</b>

# List of Figures

1.1 An Electron . . . . .	11
---------------------------	----



# List of Tables

1.1	The effects of treatments X and Y on the four groups studied. . . . .	10
-----	---	----





# List of Abbreviations

<b>LAH</b>	<b>List Abbreviations Here</b>
<b>WSF</b>	<b>What (it) Stands For</b>



# Physical Constants

Speed of Light  $c_0 = 2.99792458 \times 10^8 \text{ m s}^{-1}$  (exact)



# List of Symbols

$a$	distance	m
$P$	power	W ( $\text{J s}^{-1}$ )
$\omega$	angular frequency	rad



*For/Dedicated to/To my...*






## Chapter 1

# Introduction

Regular expression matching and lexing has been widely-used and well-implemented in software industry. If you go to a popular programming language's regex engine, you can supply it with regex and strings of your own, and get matching/lexing information such as how a sub-part of the regex matches a sub-part of the string. These lexing libraries are on average quite fast. For example, the regex engines some network intrusion detection systems use are able to process megabytes or even gigabytes of network traffic per second.

Why do we need to have our version, if the algorithms work well on average?

Take  $(a^*)^* b$  and ask whether strings of the form  $aa..a$  match this regular expression. Obviously this is not the case—the expected  $b$  in the last position is missing. One would expect that modern regular expression matching engines can find this out very quickly. Alas, if one tries this example in JavaScript, Python or Java 8 with strings like 28  $a$ 's, one discovers that this decision takes around 30 seconds and takes considerably longer when adding a few more  $a$ 's, as the graphs below show:



Graphs: Runtime for matching  $(a^*)^* b$  with strings of the form  $\underbrace{aa..a}_n$ .

This is clearly exponential behaviour, and is triggered by some relatively simple regex patterns.

This opens up the possibility of a ReDoS (regular expression denial-of-service) attack.

Theoretical results say that regular expression matching should be linear with respect to the input. You could construct an NFA via Thompson construction, and simulate running it. This would be linear. Or you could determinize the NFA into a DFA, and minimize that DFA. Once you have the DFA, the running time is also linear, requiring just one scanning pass of the input.

But modern regex libraries in popular language engines often want to support richer constructs than the most basic regular expressions such as bounded repetitions and back references. These make a DFA construction impossible because of an exponential states explosion. They also want to support lexing rather than just matching for tasks that involves text processing.

Existing regex libraries either pose restrictions on the user input, or does not give linear running time guarantee. For example, the Rust regex engine claims to be linear, but does not support lookarounds and back-references. The GoLang regex library does not support over 1000 repetitions. Java and Python both support back-references, but shows catastrophic backtracking behaviours on inputs without back-references( when the language is still regular). Another thing about the these libraries is that there is no correctness guarantee. In some cases they either fails to generate a lexing result when there is a match, or gives the wrong way of matching.

This superlinear blowup in matching algorithms sometimes causes considerable grief in real life: for example on 20 July 2016 one evil regular expression brought the webpage [Stack Exchange](#) to its In this instance, a regular expression intended to just trim white spaces from the beginning and the end of a line actually consumed massive amounts of CPU-resources—causing web servers to grind to a halt. This happened when a post with 20,000 white spaces was submitted, but importantly the white spaces were neither at the beginning nor at the end. As a result, the regular expression matching engine needed to backtrack over many choices. In this example, the time needed to process the string was  $O(n^2)$  with respect to the string length. This quadratic overhead was enough for the homepage of Stack Exchange to respond so slowly that the load balancer assumed there must be some attack and therefore stopped the servers from responding to any requests. This made the whole site become unavailable. Another very recent example is a global outage of all Cloudflare servers on 2 July 2019. A poorly written regular expression exhibited exponential behaviour and exhausted CPUs that serve HTTP traffic. Although the outage had several causes, at the heart was a regular expression that was used to monitor network

Is it possible to have a regex lexing algorithm with proven correctness and time complexity, which allows easy extensions to constructs like bounded repetitions, negation, lookarounds, and even back-references?

We propose Brzozowski’s derivatives as a solution to this problem.

## 1.1 Why Brzozowski

In the last fifteen or so years, Brzozowski’s derivatives of regular expressions have sparked quite a bit of interest in the functional programming and theorem prover communities. The beauty of Brzozowski’s derivatives (Brzozowski, 1964) is that they are neatly expressible in any functional language, and easily definable and reasoned about in theorem provers—the definitions just consist of inductive datatypes and simple recursive functions.

Suppose we have an alphabet  $\Sigma$ , the strings whose characters are from  $\Sigma$  can be expressed as  $\Sigma^*$ .

We use patterns to define a set of strings concisely. Regular expressions are one of such patterns systems: The basic regular expressions are defined inductively by the following grammar:

$$r ::= \mathbf{0} \mid \mathbf{1} \mid c \mid r_1 \cdot r_2 \mid r_1 + r_2 \mid r^*$$

The language or set of strings defined by regular expressions are defined as

$$\begin{aligned} L r_1 + r_2 &\stackrel{\text{def}}{=} L r_1 \cup L r_2 \\ L r_1 \cdot r_2 &\stackrel{\text{def}}{=} L r_1 \cap L r_2 \end{aligned}$$

Which are also called the "language interpretation".

The Brzozowski derivative w.r.t character  $c$  is an operation on the regex, where the operation transforms the regex to a new one containing strings without the head character  $c$ .

Formally, we define first such a transformation on any string set, which we call semantic derivative:

$$\text{Der } c \text{ StringSet} = \{s \mid c :: s \in \text{StringSet}\}$$

Mathematically, it can be expressed as the

If the *StringSet* happen to have some structure, for example, if it is regular, then we have that it

The the derivative of regular expression, denoted as  $r \setminus c$ , is a function that takes parameters  $r$  and  $c$ , and returns another regular expression  $r'$ , which is computed by the following recursive function:

$$\begin{aligned} \mathbf{0} \setminus c & \stackrel{\text{def}}{=} \mathbf{0} \\ \mathbf{1} \setminus c & \stackrel{\text{def}}{=} \mathbf{0} \\ d \setminus c & \stackrel{\text{def}}{=} \text{if } c = d \text{ then } \mathbf{1} \text{ else } \mathbf{0} \\ (r_1 + r_2) \setminus c & \stackrel{\text{def}}{=} r_1 \setminus c + r_2 \setminus c \\ (r_1 \cdot r_2) \setminus c & \stackrel{\text{def}}{=} \text{if nullable}(r_1) \\ & \quad \text{then } (r_1 \setminus c) \cdot r_2 + r_2 \setminus c \\ & \quad \text{else } (r_1 \setminus c) \cdot r_2 \\ (r^*) \setminus c & \stackrel{\text{def}}{=} (r \setminus c) \cdot r^* \end{aligned}$$

The *nullable* function tests whether the empty string "" is in the language of  $r$ :

$$\begin{aligned} \text{nullable}(\mathbf{0}) & \stackrel{\text{def}}{=} \text{false} \\ \text{nullable}(\mathbf{1}) & \stackrel{\text{def}}{=} \text{true} \\ \text{nullable}(c) & \stackrel{\text{def}}{=} \text{false} \\ \text{nullable}(r_1 + r_2) & \stackrel{\text{def}}{=} \text{nullable}(r_1) \vee \text{nullable}(r_2) \\ \text{nullable}(r_1 \cdot r_2) & \stackrel{\text{def}}{=} \text{nullable}(r_1) \wedge \text{nullable}(r_2) \\ \text{nullable}(r^*) & \stackrel{\text{def}}{=} \text{true} \end{aligned}$$

The empty set does not contain any string and therefore not the empty string, the empty string regular expression contains the empty string by definition, the character regular expression is the singleton that contains character only, and therefore does not contain the empty string, the alternative regular expression (or "or" expression) might have one of its children regular expressions being nullable and any one of its children being nullable would suffice. The sequence regular expression would require both children to have the empty string to compose an empty string and the Kleene star operation naturally introduced the empty string.

We can give the meaning of regular expressions derivatives by language interpretation:

Derivatives give a simple solution to the problem of matching a string  $s$  with a regular expression  $r$ : if the derivative of  $r$  w.r.t. (in succession) all the characters of the string matches the empty string, then  $r$  matches  $s$  (and *vice versa*).

However, there are two difficulties with derivative-based matchers: First, Brzozowski's original matcher only generates a yes/no answer for whether a regular expression matches a string or not. This is too little information in the context of lexing

where separate tokens must be identified and also classified (for example as keywords or identifiers). Sulzmann and Lu **Sulzmann2014** overcome this difficulty by cleverly extending Brzozowski’s matching algorithm. Their extended version generates additional information on *how* a regular expression matches a string following the POSIX rules for regular expression matching. They achieve this by adding a second “phase” to Brzozowski’s algorithm involving an injection function. In our own earlier work we provided the formal specification of what POSIX matching means and proved in Isabelle/HOL the correctness of Sulzmann and Lu’s extended algorithm accordingly **AusafDyckhoffUrban2016**.

The second difficulty is that Brzozowski’s derivatives can grow to arbitrarily big sizes. For example if we start with the regular expression  $(a + aa)^*$  and take successive derivatives according to the character  $a$ , we end up with a sequence of ever-growing derivatives like

$$\begin{aligned}
 (a + aa)^* &\xrightarrow{-\backslash a} (\mathbf{1} + \mathbf{1}a) \cdot (a + aa)^* \\
 &\xrightarrow{-\backslash a} (\mathbf{0} + \mathbf{0}a + \mathbf{1}) \cdot (a + aa)^* + (\mathbf{1} + \mathbf{1}a) \cdot (a + aa)^* \\
 &\xrightarrow{-\backslash a} (\mathbf{0} + \mathbf{0}a + \mathbf{0}) \cdot (a + aa)^* + (\mathbf{1} + \mathbf{1}a) \cdot (a + aa)^* + \\
 &\quad (\mathbf{0} + \mathbf{0}a + \mathbf{1}) \cdot (a + aa)^* + (\mathbf{1} + \mathbf{1}a) \cdot (a + aa)^* \\
 &\xrightarrow{-\backslash a} \dots \quad (\text{regular expressions of sizes } 98, 169, 283, 468, 767, \dots)
 \end{aligned}$$

where after around 35 steps we run out of memory on a typical computer (we shall define shortly the precise details of our regular expressions and the derivative operation). Clearly, the notation involving  $\mathbf{0}$ s and  $\mathbf{1}$ s already suggests simplification rules that can be applied to regular regular expressions, for example  $\mathbf{0}r \Rightarrow \mathbf{0}$ ,  $\mathbf{1}r \Rightarrow r$ ,  $\mathbf{0} + r \Rightarrow r$  and  $r + r \Rightarrow r$ . While such simple-minded simplifications have been proved in our earlier work to preserve the correctness of Sulzmann and Lu’s algorithm **AusafDyckhoffUrban2016**, they unfortunately do *not* help with limiting the growth of the derivatives shown above: the growth is slowed, but the derivatives can still grow rather quickly beyond any finite bound.

Sulzmann and Lu overcome this “growth problem” in a second algorithm **Sulzmann2014** where they introduce bitcoded regular expressions. In this version, POSIX values are represented as bitsequences and such sequences are incrementally generated when derivatives are calculated. The compact representation of bitsequences and regular expressions allows them to define a more “aggressive” simplification method that keeps the size of the derivatives finite no matter what the length of the string is. They make some informal claims about the correctness and linear behaviour of this version, but do not provide any supporting proof arguments, not even “pencil-and-paper” arguments. They write about their bitcoded *incremental parsing method* (that is the algorithm to be formalised in this paper):

*“Correctness Claim: We further claim that the incremental parsing method [...] in combination with the simplification steps [...] yields POSIX parse trees. We have tested this claim extensively [...] but yet have to work out all proof details.”*

**Sulzmann2014**

## 1.2 Background

Theoretical results say that regular expression matching should be linear with respect to the input. Under a certain class of regular expressions and inputs though,

practical implementations suffer from non-linear or even exponential running time, allowing a ReDoS (regular expression denial-of-service ) attack.

## 1.3 Existing Practical Approaches

The reason behind is that regex libraries in popular language engines often want to support richer constructs than the most basic regular expressions, and lexing rather than matching is needed for sub-match extraction.

### 1.3.1 DFA Approach

Exponential states.

### 1.3.2 NFA Approach

Backtracking.

## 1.4 Our Approach

In the last fifteen or so years, Brzozowski’s derivatives of regular expressions have sparked quite a bit of interest in the functional programming and theorem prover communities. The beauty of Brzozowski’s derivatives (Brzozowski, 1964) is that they are neatly expressible in any functional language, and easily definable and reasoned about in theorem provers—the definitions just consist of inductive datatypes and simple recursive functions. Derivatives of a regular expression, written  $r \setminus c$ , give a simple solution to the problem of matching a string  $s$  with a regular expression  $r$ : if the derivative of  $r$  w.r.t. (in succession) all the characters of the string matches the empty string, then  $r$  matches  $s$  (and *vice versa*).

This work aims to address the above vulnerability by the combination of Brzozowski’s derivatives and interactive theorem proving. We give an improved version of Sulzmann and Lu’s bit-coded algorithm using derivatives, which come with a formal guarantee in terms of correctness and running time as an Isabelle/HOL proof. Then we improve the algorithm with an even stronger version of simplification, and prove a time bound linear to input and cubic to regular expression size using a technique by Antimirov.

### 1.4.1 Existing Work

We are aware of a mechanised correctness proof of Brzozowski’s derivative-based matcher in HOL4 by Owens and Slind (Owens and Slind, 2008). Another one in Isabelle/HOL is part of the work by Krauss and Nipkow (Krauss and Nipkow, 2012). And another one in Coq is given by Coquand and Siles (Coquand and Siles, 2011). Also Ribeiro and Du Bois give one in Agda (Ribeiro and Bois, 2017).

## 1.5 What this Template Includes

### 1.5.1 Folders

This template comes as a single zip file that expands out to several files and folders. The folder names are mostly self-explanatory:

**Appendices** – this is the folder where you put the appendices. Each appendix should go into its own separate `.tex` file. An example and template are included in the directory.

**Chapters** – this is the folder where you put the thesis chapters. A thesis usually has about six chapters, though there is no hard rule on this. Each chapter should go in its own separate `.tex` file and they can be split as:

- Chapter 1: Introduction to the thesis topic
- Chapter 2: Background information and theory
- Chapter 3: (Laboratory) experimental setup
- Chapter 4: Details of experiment 1
- Chapter 5: Details of experiment 2
- Chapter 6: Discussion of the experimental results
- Chapter 7: Conclusion and future directions

This chapter layout is specialised for the experimental sciences, your discipline may be different.

**Figures** – this folder contains all figures for the thesis. These are the final images that will go into the thesis document.

## 1.5.2 Files

Included are also several files, most of them are plain text and you can see their contents in a text editor. After initial compilation, you will see that more auxiliary files are created by  $\LaTeX$  or BibTeX and which you don't need to delete or worry about:

**example.bib** – this is an important file that contains all the bibliographic information and references that you will be citing in the thesis for use with BibTeX. You can write it manually, but there are reference manager programs available that will create and manage it for you. Bibliographies in  $\LaTeX$  are a large subject and you may need to read about BibTeX before starting with this. Many modern reference managers will allow you to export your references in BibTeX format which greatly eases the amount of work you have to do.

**MastersDoctoralThesis.cls** – this is an important file. It is the class file that tells  $\LaTeX$  how to format the thesis.

**main.pdf** – this is your beautifully typeset thesis (in the PDF file format) created by  $\LaTeX$ . It is supplied in the PDF with the template and after you compile the template you should get an identical version.

**main.tex** – this is an important file. This is the file that you tell  $\LaTeX$  to compile to produce your thesis as a PDF file. It contains the framework and constructs that tell  $\LaTeX$  how to layout the thesis. It is heavily commented so you can read exactly what each line of code does and why it is there. After you put your own information into the *THESIS INFORMATION* block – you have now started your thesis!

Files that are *not* included, but are created by  $\LaTeX$  as auxiliary files include:

**main.aux** – this is an auxiliary file generated by  $\LaTeX$ , if it is deleted  $\LaTeX$  simply regenerates it when you run the main `.tex` file.

**main.bbl** – this is an auxiliary file generated by BibTeX, if it is deleted, BibTeX simply regenerates it when you run the main `.aux` file. Whereas the `.bib` file contains

all the references you have, this `.bbl` file contains the references you have actually cited in the thesis and is used to build the bibliography section of the thesis.

**main.blg** – this is an auxiliary file generated by BibTeX, if it is deleted BibTeX simply regenerates it when you run the main `.aux` file.

**main.lof** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main `.tex` file. It tells L<sup>A</sup>T<sub>E</sub>X how to build the *List of Figures* section.

**main.log** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main `.tex` file. It contains messages from L<sup>A</sup>T<sub>E</sub>X, if you receive errors and warnings from L<sup>A</sup>T<sub>E</sub>X, they will be in this `.log` file.

**main.lot** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main `.tex` file. It tells L<sup>A</sup>T<sub>E</sub>X how to build the *List of Tables* section.

**main.out** – this is an auxiliary file generated by L<sup>A</sup>T<sub>E</sub>X, if it is deleted L<sup>A</sup>T<sub>E</sub>X simply regenerates it when you run the main `.tex` file.

So from this long list, only the files with the `.bib`, `.cls` and `.tex` extensions are the most important ones. The other auxiliary files can be ignored or deleted as L<sup>A</sup>T<sub>E</sub>X and BibTeX will regenerate them.

## 1.6 Filling in Your Information in the `main.tex` File

You will need to personalise the thesis template and make it your own by filling in your own information. This is done by editing the `main.tex` file in a text editor or your favourite LaTeX environment.

Open the file and scroll down to the third large block titled *THESIS INFORMATION* where you can see the entries for *University Name*, *Department Name*, etc ...

Fill out the information about yourself, your group and institution. You can also insert web links, if you do, make sure you use the full URL, including the `http://` for this. If you don't want these to be linked, simply remove the `\href{url}{name}` and only leave the name.

When you have done this, save the file and recompile `main.tex`. All the information you filled in should now be in the PDF, complete with web links. You can now begin your thesis proper!

## 1.7 The `main.tex` File Explained

The `main.tex` file contains the structure of the thesis. There are plenty of written comments that explain what pages, sections and formatting the L<sup>A</sup>T<sub>E</sub>X code is creating. Each major document element is divided into commented blocks with titles in all capitals to make it obvious what the following bit of code is doing. Initially there seems to be a lot of L<sup>A</sup>T<sub>E</sub>X code, but this is all formatting, and it has all been taken care of so you don't have to do it.

Begin by checking that your information on the title page is correct. For the thesis declaration, your institution may insist on something different than the text given. If this is the case, just replace what you see with what is required in the *DECLARATION PAGE* block.

Then comes a page which contains a funny quote. You can put your own, or quote your favourite scientist, author, person, and so on. Make sure to put the name of the person who you took the quote from.

Following this is the abstract page which summarises your work in a condensed way and can almost be used as a standalone document to describe what you have done. The text you write will cause the heading to move up so don't worry about running out of space.

Next come the acknowledgements. On this page, write about all the people who you wish to thank (not forgetting parents, partners and your advisor/supervisor).

The contents pages, list of figures and tables are all taken care of for you and do not need to be manually created or edited. The next set of pages are more likely to be optional and can be deleted since they are for a more technical thesis: insert a list of abbreviations you have used in the thesis, then a list of the physical constants and numbers you refer to and finally, a list of mathematical symbols used in any formulae. Making the effort to fill these tables means the reader has a one-stop place to refer to instead of searching the internet and references to try and find out what you meant by certain abbreviations or symbols.

The list of symbols is split into the Roman and Greek alphabets. Whereas the abbreviations and symbols ought to be listed in alphabetical order (and this is *not* done automatically for you) the list of physical constants should be grouped into similar themes.

The next page contains a one line dedication. Who will you dedicate your thesis to?

Finally, there is the block where the chapters are included. Uncomment the lines (delete the % character) as you write the chapters. Each chapter should be written in its own file and put into the *Chapters* folder and named Chapter1, Chapter2, etc... Similarly for the appendices, uncomment the lines as you need them. Each appendix should go into its own file and placed in the *Appendices* folder.

After the preamble, chapters and appendices finally comes the bibliography. The bibliography style (called *authoryear*) is used for the bibliography and is a fully featured style that will even include links to where the referenced paper can be found online. Do not underestimate how grateful your reader will be to find that a reference to a paper is just a click away. Of course, this relies on you putting the URL information into the BibTeX file in the first place.

## 1.8 Thesis Features and Conventions

To get the best out of this template, there are a few conventions that you may want to follow.

One of the most important (and most difficult) things to keep track of in such a long document as a thesis is consistency. Using certain conventions and ways of doing things (such as using a Todo list) makes the job easier. Of course, all of these are optional and you can adopt your own method.

### 1.8.1 Printing Format

This thesis template is designed for double sided printing (i.e. content on the front and back of pages) as most theses are printed and bound this way. Switching to one sided printing is as simple as uncommenting the *oneside* option of the `documentclass` command at the top of the `main.tex` file. You may then wish to adjust the margins to suit specifications from your institution.

The headers for the pages contain the page number on the outer side (so it is easy to flick through to the page you want) and the chapter name on the inner side.



The text is set to 11 point by default with single line spacing, again, you can tune the text size and spacing should you want or need to using the options at the very start of `main.tex`. The spacing can be changed similarly by replacing the *singlespacing* with *onehalfspacing* or *doublespacing*.

### 1.8.2 Using US Letter Paper

The paper size used in the template is A4, which is the standard size in Europe. If you are using this thesis template elsewhere and particularly in the United States, then you may have to change the A4 paper size to the US Letter size. This can be done in the margins settings section in `main.tex`.

Due to the differences in the paper size, the resulting margins may be different to what you like or require (as it is common for institutions to dictate certain margin sizes). If this is the case, then the margin sizes can be tweaked by modifying the values in the same block as where you set the paper size. Now your document should be set up for US Letter paper size with suitable margins.

### 1.8.3 References

The `biblatex` package is used to format the bibliography and inserts references such as this one (**Reference1**). The options used in the `main.tex` file mean that the in-text citations of references are formatted with the author(s) listed with the date of the publication. Multiple references are separated by semicolons (e.g. (**Reference2; Reference1**)) and references with more than three authors only show the first author with *et al.* indicating there are more authors (e.g. (**Reference3**)). This is done automatically for you. To see how you use references, have a look at the `Chapter1.tex` source file. Many reference managers allow you to simply drag the reference into the document as you type.

Scientific references should come *before* the punctuation mark if there is one (such as a comma or period). The same goes for footnotes<sup>1</sup>. You can change this but the most important thing is to keep the convention consistent throughout the thesis. Footnotes themselves should be full, descriptive sentences (beginning with a capital letter and ending with a full stop). The APA6 states: "Footnote numbers should be superscripted, [...], following any punctuation mark except a dash." The Chicago manual of style states: "A note number should be placed at the end of a sentence or clause. The number follows any punctuation mark except the dash, which it precedes. It follows a closing parenthesis."

The bibliography is typeset with references listed in alphabetical order by the first author's last name. This is similar to the APA referencing style. To see how  $\LaTeX$  typesets the bibliography, have a look at the very end of this document (or just click on the reference number links in in-text citations).

#### A Note on `bibtex`

The `bibtex` backend used in the template by default does not correctly handle unicode character encoding (i.e. "international" characters). You may see a warning about this in the compilation log and, if your references contain unicode characters, they may not show up correctly or at all. The solution to this is to use the `biber` backend instead of the outdated `bibtex` backend. This is done by finding this in `main.tex`: `backend=bibtex` and changing it to `backend=biber`. You will then need to delete all

---

<sup>1</sup>Such as this footnote, here down at the bottom of the page.

TABLE 1.1: The effects of treatments X and Y on the four groups studied.

Groups	Treatment X	Treatment Y
1	0.2	0.8
2	0.17	0.7
3	0.24	0.75
4	0.68	0.3

auxiliary BibTeX files and navigate to the template directory in your terminal (command prompt). Once there, simply type `biber main` and `biber` will compile your bibliography. You can then compile `main.tex` as normal and your bibliography will be updated. An alternative is to set up your LaTeX editor to compile with `biber` instead of `bibtex`, see [here](#) for how to do this for various editors.

### 1.8.4 Tables

Tables are an important way of displaying your results, below is an example table which was generated with this code:

```
\begin{table}
\caption{The effects of treatments X and Y on the four groups studied.}
\label{tab:treatments}
\centering
\begin{tabular}{l l l}
\toprule
\thead{Groups} & \thead{Treatment X} & \thead{Treatment Y} \\
\midrule
1 & 0.2 & 0.8 \\
2 & 0.17 & 0.7 \\
3 & 0.24 & 0.75 \\
4 & 0.68 & 0.3 \\
\bottomrule
\end{tabular}
\end{table}
```

You can reference tables with `\ref{<label>}` where the label is defined within the table environment. See `Chapter1.tex` for an example of the label and citation (e.g. Table 1.1).

### 1.8.5 Figures

There will hopefully be many figures in your thesis (that should be placed in the *Figures* folder). The way to insert figures into your thesis is to use a code template like this:

```
\begin{figure}
\centering
\includegraphics{Figures/Electron}
\decoRule
\caption[An Electron]{An electron (artist's impression).}
\label{fig:Electron}
\end{figure}
```

Also look in the source file. Putting this code into the source file produces the picture of the electron that you can see in the figure below.



---

FIGURE 1.1: An electron (artist's impression).

Sometimes figures don't always appear where you write them in the source. The placement depends on how much space there is on the page for the figure. Sometimes there is not enough room to fit a figure directly where it should go (in relation to the text) and so  $\LaTeX$  puts it at the top of the next page. Positioning figures is the job of  $\LaTeX$  and so you should only worry about making them look good!

Figures usually should have captions just in case you need to refer to them (such as in Figure 1.1). The `\caption` command contains two parts, the first part, inside the square brackets is the title that will appear in the *List of Figures*, and so should be short. The second part in the curly brackets should contain the longer and more descriptive caption text.

The `\decoRule` command is optional and simply puts an aesthetic horizontal line below the image. If you do this for one image, do it for all of them.

$\LaTeX$  is capable of using images in pdf, jpg and png format.

### 1.8.6 Typesetting mathematics

If your thesis is going to contain heavy mathematical content, be sure that  $\LaTeX$  will make it look beautiful, even though it won't be able to solve the equations for you.

The "Not So Short Introduction to  $\LaTeX$ " (available on [CTAN](#)) should tell you everything you need to know for most cases of typesetting mathematics. If you need more information, a much more thorough mathematical guide is available from the AMS called, "A Short Math Guide to  $\LaTeX$ " and can be downloaded from: <ftp://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf>

There are many different  $\LaTeX$  symbols to remember, luckily you can find the most common symbols in [The Comprehensive  \$\LaTeX\$  Symbol List](#).

You can write an equation, which is automatically given an equation number by  $\LaTeX$  like this:

```
\begin{equation}
E = mc^{2}
\label{eqn:Einstein}
\end{equation}
```

This will produce Einstein's famous energy-matter equivalence equation:

$$E = mc^2 \tag{1.1}$$

All equations you write (which are not in the middle of paragraph text) are automatically given equation numbers by  $\LaTeX$ . If you don't want a particular equation numbered, use the unnumbered form:

```
\[ a^{2}=4 \]
```

## 1.9 Sectioning and Subsectioning

You should break your thesis up into nice, bite-sized sections and subsections.  $\LaTeX$  automatically builds a table of Contents by looking at all the `\chapter{}`, `\section{}` and `\subsection{}` commands you write in the source.

The Table of Contents should only list the sections to three (3) levels. A `\chapter{}` is level zero (0). A `\section{}` is level one (1) and so a `\subsection{}` is level two (2). In your thesis it is likely that you will even use a `\subsubsection{}`, which is level three (3). The depth to which the Table of Contents is formatted is set within `MastersDoctoralThesis.cls`. If you need this changed, you can do it in `main.tex`.

## 1.10 In Closing

You have reached the end of this mini-guide. You can now rename or overwrite this pdf file and begin writing your own `Chapter1.tex` and the rest of your thesis. The easy work of setting up the structure and framework has been taken care of for you. It's now your job to fill it out!

Good luck and have lots of fun!

Guide written by —  
Sunil Patel: [www.sunilpatel.co.uk](http://www.sunilpatel.co.uk)  
Vel: [LaTeXTemplates.com](http://LaTeXTemplates.com)

## Chapter 2

# Chapter Title Here

### 2.1 Properties of $\backslash c$

To have a clear idea of what we can and need to prove about the algorithms involving Brzozowski's derivatives, there are a few properties we need to be clear about it.

#### 2.1.1 function $\backslash c$ is not 1-to-1

The derivative *w.r.t* character  $c$  is not one-to-one. Formally,

$$\exists r_1 r_2. r_1 \neq r_2 \text{ and } r_1 \backslash c = r_2 \backslash c$$

This property is trivially true for the character regex example:

$$r_1 = e; r_2 = d; r_1 \backslash c = \mathbf{0} = r_2 \backslash c$$

But apart from the cases where the derivative output is  $\mathbf{0}$ , are there non-trivial results of derivatives which contain strings? The answer is yes. For example,

$$\text{Let } r_1 = a^*b \quad r_2 = (a \cdot a^*) \cdot b + b.$$

where  $a$  is not nullable.

$$r_1 \backslash c = ((a \backslash c) \cdot a^*) \cdot c + b \backslash c$$

$$r_2 \backslash c = ((a \backslash c) \cdot a^*) \cdot c + b \backslash c$$

We start with two syntactically different regexes, and end up with the same derivative result, which is a "meaningful" regex because it contains strings. We have rediscovered Arden's lemma:

$$A^*B = A \cdot A^* \cdot B + B$$

#### 2.1.2 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 2.1.3 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pelentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla

auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

## 2.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

## Chapter 3

# Common Identities In Simplification-Related Functions

### 3.1 Idempotency of *simp*

$$\text{simp } r = \text{simp } (\text{simp } r) \quad (3.1)$$

This property means we do not have to repeatedly apply simplification in each step, which justifies our definition of *blexer\_simp*. It will also be useful in future proofs where properties such as closed forms are needed. The proof is by structural induction on *r*.

#### 3.1.1 Syntactic Equivalence Under *simp*

We prove that minor differences can be annihilated by *simp*. For example,

$$\begin{aligned} \text{simp } (\text{simp\_ALTs } (\text{map } (\_ \setminus x) (\text{distinct } rs \ \phi))) &= \\ \text{simp } (\text{simp\_ALTs } (\text{distinct } (\text{map } (\_ \setminus x) rs) \ \phi)) & \end{aligned}$$

#### 3.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 3.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.





## Appendix A

# Frequently Asked Questions

### A.1 How do I change the colors of links?

The color of links can be changed to your liking using:

```
\hypersetup{urlcolor=red}, or  
\hypersetup{citecolor=green}, or  
\hypersetup{allcolor=blue}.
```

If you want to completely hide the links, you can use:

```
\hypersetup{allcolors=.}, or even better:  
\hypersetup{hidelinks}.
```

If you want to have obvious links in the PDF but not the printed text, use:

```
\hypersetup{colorlinks=false}.
```



# Bibliography

- Brzozowski, J. A. (1964). “Derivatives of Regular Expressions”. In: *Journal of the ACM* 11.4, pp. 481–494.
- Coquand, T. and V. Siles (2011). “A Decision Procedure for Regular Expression Equivalence in Type Theory”. In: *Proc. of the 1st International Conference on Certified Programs and Proofs (CPP)*. Vol. 7086. LNCS, pp. 119–134.
- Krauss, A. and T. Nipkow (2012). “Proof Pearl: Regular Expression Equivalence and Relation Algebra”. In: *Journal of Automated Reasoning* 49, pp. 95–106.
- Owens, S. and K. Slind (2008). “Adapting Functional Programs to Higher Order Logic”. In: *Higher-Order and Symbolic Computation* 21.4, pp. 377–409.
- Ribeiro, Rodrigo and André Du Bois (2017). “Certified Bit-Coded Regular Expression Parsing”. In: *Proceedings of the 21st Brazilian Symposium on Programming Languages*. SBLP 2017. Fortaleza, CE, Brazil: Association for Computing Machinery. ISBN: 9781450353892. DOI: [10.1145/3125374.3125381](https://doi.org/10.1145/3125374.3125381). URL: <https://doi.org/10.1145/3125374.3125381>.