

Access Control and Privacy Policies (3)

Email: christian.urban at kcl.ac.uk

Office: S1.27 (1st floor Strand Building)

Slides: KEATS (also home work is there)

(I have put a temporary link in there.)



one general defence mechanism is
defence in depth

Defence in Depth

- overlapping systems designed to provide security even if one of them fails.

Defence in Depth

- **overlapping** systems designed to provide security even if one of them fails.

otherwise your "added security" can become the point of failure

PALs

- **Permissive Action Links** prevent unauthorised use of nuclear weapons (so the theory)



PALs

- **Permi** of nuc use

US Air Force's Strategic Air Command worried that in times of need the codes would not be available, so until 1977 quietly decided to set them to 00000000...



PALs

- Permi
of nuc

US Air Force's Strategic Air Command worried that in times of need the codes would not be available, so until 1977 quietly decided to set them to 00000000...

use



modern PALs also include a 2-person rule

- until 1998, Britain had nuclear weapons that could be launched from airplanes

- until 1998, Britain had nuclear weapons that could be launched from airplanes
- these weapons were armed with a bicycle key



nuclear weapon keys



bicycle lock

- until 1998, Britain had nuclear weapons that could be launched from airplanes
- these weapons were armed with a bicycle key



nuclear weapon keys



bicycle lock

- the current Trident nuclear weapons can be launched from a submarine without any code being transmitted

Access Control in Unix


- access control provided by the OS
- authenticate principals (login)
- mediate access to files, ports, processes according to **roles** (user ids)
- roles get attached with privileges

principle of least privilege:

programs should only have as much privilege as they need

Access Control in Unix (2)

- the idea is to restrict access to files and therefore lower the consequences of an attack



Process Ownership

- access control in Unix is very coarse

$$\frac{\text{root}}{\text{user}_1 \text{ user}_2 \dots \text{www, mail, lp}}$$

root has UID = 0

Process Ownership

- access control in Unix is very coarse

root
<hr/>
user ₁ user ₂ ... www, mail, lp

root has UID = 0

you also have groups that can share access to a file
but it is difficult to exclude access selectively

Access Control in Unix (2)

- privileges are specified by file access permissions (“everything is a file”)
- there are 9 (plus 2) bits that specify the permissions of a file

```
$ ls -la  
-rwxrw-r--  foo_file.txt
```

Login Process

- login processes run under `UID = 0`

```
ps -axl | grep login
```

- after login, shells run under `UID = user` (e.g. 501)

```
id cu
```


Login Process

- login processes run under `UID = 0`

```
ps -axl | grep login
```

- after login, shells run under `UID = user` (e.g. 501)

```
id cu
```

- non-root users are not allowed to change the `UID`
– would break access control
- but needed for example for `passwd`


Setuid and Setgid

The solution is that unix file permissions are 9 + 2 Bits: **Setuid** and **Setgid** Bits

- When a file with setuid is executed, the resulting process will assume the UID given to the owner of the file.
- This enables users to create processes as root (or another user).
- Essential for changing passwords, for example.

```
chmod 4755 fobar_file
```

Privilege Separation in OpenSSH



- pre-authorisation slave
- post-authorisation
- 25% codebase is privileged, 75% is unprivileged

Network Applications

ideally network application in Unix should be designed as follows:

- need two distinct processes
 - one that listens to the network; has no privilege
 - one that is privileged and listens to the latter only (but does not trust it)
- to implement this you need a parent process, which forks a child process
- this child process drops privileges and listens to hostile data
- after authentication the parent forks again and the new child becomes the user

Famous Security Flaws in Unix

- lpr u had th Only failure makes us experts. - Theo de Raadt (OpenBSD, OpenSSH) you .

Famous Security Flaws in Unix

- `lpr` unfortunately runs with root privileges; you had the option to delete files after printing ...

Famous Security Flaws in Unix

- `lpr` unfortunately runs with root privileges; you had the option to delete files after printing ...
- for debugging purposes (FreeBSD) Unix provides a "core dump", but allowed to follow links ...

Famous Security Flaws in Unix

- `lpr` unfortunately runs with root privileges; you had the option to delete files after printing ...
- for debugging purposes (FreeBSD) Unix provides a "core dump", but allowed to follow links ...
- `mkdir foo` is owned by root

```
-rwxr-xr-x 1 root wheel /bin/mkdir
```

it first creates an i-node as root and then changes to ownership to the user's id
(automated with a shell script)

Other Problems

There are things you just cannot solve on the programming side:

- for system maintenance you often have cron-jobs cleaning /tmp
 - attacker:
`mkdir /tmp/a; cat > /tmp/a/passwd`
 - root:
`rm /tmp/*/*:`
 - attacker:
`rm /tmp/a/passwd; rmdir /tmp/a;`
`ln -s /etc /tmp/a`

Security Levels

Unix essentially can only distinguish between two security levels (root and non-root).

- In military applications you often have many security levels (top-secret, secret, confidential, unclassified)

Security Levels

Unix essentially can only distinguish between two security levels (root and non-root).

- In military applications you often have many security levels (top-secret, secret, confidential, unclassified)
- Information flow: Bell — La Padula model
 - read: your own level and below
 - write: your own level and above

Security Levels (2)

- Bell — La Pudela preserves data secrecy, but not data integrity

Security Levels (2)

- Bell — La Padula preserves data secrecy, but not data integrity
- Biba model is for data integrity
 - read: your own level and above
 - write: your own level and below

Access Control in 2000

According to Ross Anderson (1st edition of his book), some senior Microsoft people held the following view:

Access control does not matter. Computers are becoming single-purpose or single-user devices. Single-purpose devices, such as Web servers that deliver a single service, don't need much in the way of access control as there's nothing for operating system access controls to do; the job of separating users from each other is best left to application code. As for the PC on your desk, if all the software on it comes from a single source, then again there's no need for the operating system to provide separation. (in 2000)

Research Problems

- with access control we are back to 1970s

Going all the way back to early time-sharing systems we systems people regarded the users, and any code they wrote, as the mortal enemies of us and each other. We were like the police force in a violent slum.

— Roger Needham

Research Problems

- with access control we are back to 1970s
- the largest research area in access control in 2000-07 has been "Trusted Computing", but thankfully it is dead now
- a useful research area is to not just have robust access control, but also usable access control — by programmers and users
(one possible answer is operating system virtualisation, e.g. Xen, VMWare)

Research Problems

- with access control we are back to 1970s
- the largest research area in access control in 2000-07 has been "Trusted Computing", but thankfully it is dead now
- a useful research area is to not just have robust access control, but also usable access control — by programmers and users
(one possible answer is operating system virtualisation, e.g. Xen, VMWare)
- electronic voting

Mobile OS

- iOS and Android solve the defence-in-depth problem by **sandboxing** applications
- you as developer have to specify the resources an application needs
- the OS provides a sandbox where access is restricted to only these resources

Security Theater

Security theater is the practice of investing in countermeasures intended to provide the feeling of improved security while doing little or nothing to actually achieve it.

Bruce Schneier