
Access Control and Privacy Policies (1)



Email: christian.urban at kcl.ac.uk Office: S1.27 (1st floor Strand Building) Slides: KEATS









μ,

My Fellow Users,

I have been forced to make a difficul decision: to become compiler in crimes against the American people or walk away form early true years of hard work by shuting down Lavabil. After significant soit searching, have decided to suspend operations, I with that I could legally share with you the events that led to my decision. I cannot, I feel you desarve to have what's going on-the first amendment in susposed to guarantee me the freedom to speak our in situations like this. Unfortunately, Congress has passed laws that say otherwise, As things currently stand, I cannot thare my experiences over the last tix weaks, even though I have those made the appropriate requests.

What's going to happen now? We've already started preparing the paperwork needed to continue to fight for the Constitution in the Fourth Circuit Court of Appeals. A favorable decision would allow me resurrect Lavabit as an American company.

This experience has taught me one very important lesson: without congressional action or a strong judicial precedent, I would _strongly_recommend against anyone trusting their private data to a company with physical ties to the United States.

Sincerely, Ladar Levison Owner and Operator, Lavabit LLC

Defending the constitution is expensive! Help us by donating to the Lavabit Legal Defense Fund here.

Lavabit email service closed down on 8 August 2013. www.goo.gl/bgSrVp

APP 01, King's College London – p. 4/43

Also Bad Guys



Anonymous Hacker operating a 10k bonnet using the ZeuS hacking tool wrote:

"FYI I do not cash out the bank accounts or credit cards, I just sell the information (I know, its just as bad...), there isn't even a law against such in most countries, dealing with stolen information is most of the time a legally greyzone (I was just as surprised when I looked it up), I'm not talking about 3rd world countries, but about European like Spain (The Mariposa botnet owner never got charged, because a botnet isn't illegal, only abusing CC information is, but that did other guys)."



Without encryption:

Alice ------ NSA ------- Bob

With encryption:



There is some consensus that the NSA can probably not brute-force magically better than the "public".

The content of this course is very much inspired by the work of three people:



Bruce Schneier

en.wikipedia.org/wiki/Bruce_Schneier



Ross Anderson

www.cl.cam.ac.uk/~rja14



Alex Halderman

jhalderm.com

Security engineers require a particular **mindset**:

"Security engineers — at least the good ones — see the world differently. They can't walk into a store without noticing how they might shoplift. They can't use a computer without wondering about the security vulnerabilities. They can't vote without trying to figure out how to vote twice. They just can't help it."

-Bruce Schneier



Security engineers require a particular **mindset**:

"Security engineering...requires you to think differently. You need to figure out not how something works, but how something can be made to not work. You have to imagine an intelligent and malicious adversary inside your system ..., constantly trying new ways to subvert it. You have to consider all the ways your system can fail, most of them having nothing to do with the design itself. You have to look at everything backwards, upside down, and sideways. You have to think like an alien." —Bruce Schneier



Breaking Things

For example:

Prof. V. Nasty gives the following final exam question (closed books, closed notes):

Write the first 100 digits of π :

How can you cheat in this exam and how can you defend against such cheating?



• I will be teaching techniques that can be used to compromise security and privacy.



- I will be teaching techniques that can be used to compromise security and privacy.
- Don't be evil!



- I will be teaching techniques that can be used to compromise security and privacy.
- Don't be evil!
- Using those techniques in the real world may violate the law or King's rules, and it may be unethical.
- Under some circumstances, even probing for weaknesses of a system may result in severe penalties, up to and including expulsion, fines and jail time.
- Acting lawfully and ethically is your responsibility.



- I will be teaching techniques that can be used to compromise security and privacy.
- Don't be evil!
- Ethics requires you to refrain from doing harm.
- Always respect privacy and rights of others.
- Do not tamper with any of King's systems.



- I will be teaching techniques that can be used to compromise security and privacy.
- Don't be evil!
- If you try out a technique, always make doubly sure you are working in a safe environment so that you cannot cause any harm, not even accidentally.
- Don't be evil. Be an <u>ethical</u> hacker.

Secure Systems

For a secure system, four requirements need to come together:

Policy

What is supposed to be achieved?

Mechanism

Cipher, access controls, tamper resistance, ...

Assurance

The amount of reliance you can put on the mechanism.

Incentive

The motive that the people guarding and maintaining the system have to do their job properly, and also the motive that the attackers have to try to defeat your policy.

Chip-and-PIN



- Chip-and-PIN was introduced in the UK in 2004
- before that customers had to sign a receipt

• Is Chip-and-PIN a more secure system?

(some other countries still use the old method)



... if you believe the banks:

"Chip-and-PIN is so effective in this country [UK] that fraudsters are starting to move their activities overseas," said some spokesman for Lloyds TSB (in The Guardian, 2006)


- mag-stripe cards cannot be cloned anymore
- stolen or cloned cards need to be used abroad
- fraud on lost, stolen and counterfeit credit cards was down £60m (24%) on 2004's figure








APP 01, King's College London - p. 14/43



APP 01, King's College London - p. 14/43



APP 01, King's College London - p. 14/43



Chip-and-PIN

• A "tamperesitant" terminal playing Tetris on youtube.

(http://www.youtube.com/watch?v=wWTzkD9M0sU)




Chip-and-PIN

- in 2006, Shell petrol stations stopped accepting Chip-and-PIN after £1M had been stolen from customer accounts
- in 2008, hundreds of card readers for use in Britain, Ireland, the Netherlands, Denmark, and Belgium had been expertly tampered with shortly after manufacture so that details and PINs of credit cards were sent during the 9 months before over mobile phone networks to criminals in Lahore, Pakistan

Chip-and-PIN is Broken



• man-in-the-middle attacks by the group around Ross Anderson



on BBC Newsnight in 2010 or youtube


APP 01, King's College London - p. 17/43

Chip-and-PIN is Really Broken



- same group successfully attacked in 2012 card readers and ATM machines
- the problem was: several types of ATMs generate poor random numbers, which are used as nonces

The Real Problem ...



• the burden of proof for fraud and financial liability was shifted to the costumer (until approx. 2009/10)

The Bad Guy Again

The anonymous hacker from earlier:

"Try to use 'Verified-By-Visa' and 'Mastercard-Securecode' as rarely as possible. If only your CVV2 code is getting sniffed, you are not liable for any damage, because the code is physically printed and could have been stolen while you payed with your card at a store. Same applies if someone cloned your CC reading the magnetic stripe or sniffing RFID. Only losing your VBV or MCSC password can cause serious trouble."

goo.gl/UWluh0

Being Screwed Again




• Responsibility

"You understand that you are financially responsible for all uses of RBS Secure."

https://www.rbssecure.co.uk/rbs/tdsecure/terms_of_use.jsp













A simple response from the server:

```
var express = require('express');
var app = express();
```

```
app.get('/', function(request, response){
    response.write('Hello World');
    response.end()
});
```

// starting the server
app.listen(8000);



A simple response from the server:

```
var express = require('express');
var app = express();
```

```
app.get('/', function(request, response){
    response.write('Hello World');
    response.end()
});
```

```
// starting the server
app.listen(8000);
```

alternative response:
response.write('<H1>Hello World</H1>');

```
var express = require('express');
var bodyParser = require('body-parser');
var app = express();
app.use(bodyParser.urlencoded({ extended: true }));
```


```
// sending the form
app.get('/', function(req, res){
    var html = '<form action="/" method="post">' +
        'Login: <input type="text" name="login" /><br>' +
        'Password: <input type="password" name="pass" /><br>' +
        '<button type="submit">Submit</button></form>';
        res.send(html);
});
```

```
// receiving data
app.post('/', function(req, res){
    var html = 'Received login: ' + req.body.login + '<br>' +
        'Received password: ' + req.body.pass + '<br>' +
        '<a href="/">Try again</a>';
    res.send(html);
});
```















APP 01, King's College London - p. 25/43

Cookies




- cookies: max 4KB data
- cookie theft, cross-site scripting attacks
- session cookies, persistent cookies, HttpOnly cookies, third-party cookies, zombie cookies

Cookies

EU Privacy Directive about Cookies:

"In May 2011, a European Union law was passed stating that websites that leave non-essential cookies on visitors' devices have to alert the visitor and get acceptance from them. This law applies to both individuals and businesses based in the EU regardless of the nationality of their website's visitors or the location of their web host. It is not enough to simply update a website's terms and conditions or privacy policy. The deadline to comply with the new EU cookie law was 26th May 2012 and failure to do so could mean a fine of up to £500,000." \rightarrow BBC News, goo.gl/RI4qhh

 session cookies, persistent cookies, HttpOnly cookies, third-party cookies, zombie cookies • While cookies are per web-page, this can be easily circumvented.



My First Real Webapp

GET request:

- I read the cookie from client
- if none is present, set counter to zero
- If cookie is present, extract counter
- if counter is greater or equal than 5, print a valued customer message otherwise just a normal message
- increase counter by I and store new cookie with client

```
var express = require('express');
var cookie = require('cookie-parser')
var app = express();
app.use(cookie());
app.get('/', function(req, res){
    var counter = req.cookies.counter || 0;
    res.cookie('counter', counter + 1);
    if (counter >= 5) {
        res.write('You are a valued customer ' +
                  'visting the site ' + counter + ' times.');
    } else {
        res.write('This is visit number '+ counter +'!');
    }
    res.end();
});
```

```
app.listen(8000);
```



• data integrity needs to be ensured

```
function mk_hash(s) {
    return crypto.createHash('sha1').update(s).digest('hex')
}
function mk_cookie(c) {
    return c.toString() + "-" + mk_hash(c.toString())
}
function gt_cookie(s) {
    var splits = s.split("-", 2);
    var counter = parseInt(splits[0])
    if (mk hash(counter.toString()) == splits[1]) {
        return counter
    } else { return 0 }
}
app.get('/', function(req, res){
    var counter = gt_cookie(req.cookies.counter) || 0;
    res.cookie('counter', mk_cookie(counter + 1));
    . . .
});
```

SHA-1

- SHA-1 is a cryptographic hash function (MD5, SHA-256, SHA-512, ...)
- message \rightarrow digest
- attacks exist: $2^{80} \rightarrow 2^{61}$

SHA-1

- SHA-1 is a cryptographic hash function (MD5, SHA-256, SHA-512, ...)
- message \rightarrow digest
- attacks exist: $2^{80} \rightarrow 2^{61}$
- but dictionary attacks are much more effective for extracting passwords (later)

```
should be random
var salt = 'secret key'
function mk hash(s) {
    return crypto.createHash('sha1').update(s).digest('hex')
}
function mk cookie(c) {
    return c.toString() + '-' + mk_hash(c.toString() + salt)
}
function gt_cookie(s) {
    var splits = s.split("-", 2);
    var counter = parseInt(splits[0])
    var hash = splits[1]
    if (mk_hash(counter.toString() + salt) == hash) {
        return counter
    } else { return 0 }
}
app.get('/', function(req, res){ .... });
```

```
APP 01, King's College London - p. 32/43
```

Unix Passwords

- passwords must **not** be stored in clear text
- instead /etc/shadow contains

name:\$1\$QIGCa\$/ruJs8AvmrknzKTzM2TYE.:other_info

- \$ is separator
- 1 is MD5 (actually SHA-512 is used nowadays, 6)
- QIGCa is salt
- ruJs8AvmrknzKTzM2TYE \rightarrow password + salt

```
(openssl passwd -1 -salt QIGCa pippo)
```

Plain-Text Passwords


Plain-Text Passwords

On 25 September 2012, a report on a data breach at IEEE:

- IEEE is a standards organisation (not-for-profit)
- many standards in CS are by IEEE
- 100k plain-text passwords were recorded in logs
- the logs were openly accessible on their FTP server

http://ieeelog.com

Plain-Text Passwords



Other Password Blunders

- in late 2009, when an SQL injection attack against online games service RockYou.com exposed 32 million plaintext passwords
- 1.3 million Gawker credentials exposed in December 2010 containing unsalted(?) MD5 hashes
- June 6th, 2012, 6 million unsalted SHA-1 passwords were leaked from linkedIn

(web user maintains 25 separate accounts but uses just 6.5 passwords.)

Brute Forcing Passwords

• How fast can hackers crack SHA-1 passwords?

Brute Forcing Passwords

- How fast can hackers crack SHA-1 passwords?
- The answer is 2 billion attempts per second using a Radeon HD 7970

р

time
5 secs
500 secs
13 hours
57 days
15 years



5 letters $\approx 100^5 = 10$ billion combinations (1 letter - upper case, lower case, digits, symbols ≈ 100)

APP 01, King's College London - p. 36/43



How to recover from a break in?



How to recover from a break in?

- Do not send passwords in plain text.
- Security questions are tricky to get right.
- QQ (Chinese Skype) authenticates you via contacts.

This Course

- break-ins (buffer overflows)
- access control (role based, data security / data integrity)
- electronic voting
- protocols (specification)
- access control logic
- privacy

Scott McNealy: "You have zero privacy anyway. Get over it."

zero-knowledge proofs

User-Tracking Without Cookies

Can you track a user **without**:

- Cookies
- JavaScript
- LocalStorage/SessionStorage/GlobalStorage
- Flash, Java or other plugins
- Your IP address or user agent string
- Any methods employed by Panopticlick
 → https://panopticlick.eff.org/

Even when you disabled cookies entirely, have JavaScript turned off and use a VPN service.


User-Tracking Without Cookies

Can you track a user **without**:


- Cookies
- JavaScript
- LocalStorage/SessionStorage/GlobalStorage
- Flash, Java or other plugins
- Your IP address or user agent string
- Any methods employed by Panopticlick
 → https://panopticlick.eff.org/

Even when you disabled cookies entirely, have JavaScript turned off and use a VPN service. (And numerous sites use it.)






Web-Protocol






APP 01, King's College London - p. 40/43

Web-Protocol



Web-Protocol



APP 01, King's College London – p. 40/43

Books + Homework

• There is no single book I am following





• There is no single book I am following



• The question "Is this relevant for the exams" is not appreciated!

Whatever is in the homework (and is not marked optional) is relevant for the exam. No code needs to be written.

Further Information

For your personal interest:

- RISKS mailing list
- Schneier's Crypto newsletter
- Google+ Ethical Hacker group

Take-Home Points

- Never store passwords in plain text.
- Always salt your hashes!
- Use an existing crypto algorithm; do not write your own!
- Make the party responsible for losses that is in the position to improve security.